
CPI INTERNATIONAL LLC

DOOR COLLECTION

2026 / 2027

Wooden Doors

Interior styles. Architectural detail. Made in Vietnam.



contact@cpiintl.com | cpiintl.com

THE COLLECTION

Contents

About CPI International 02

Products & craftsmanship 03

Door styles index 04

Door collection & specifications 05-40

Custom manufacturing 41

Materials & finishes 42


Contact CPI 43

Explore 18 door styles, from classic panel designs to contemporary oak, glass and statement patterns.

Doors for your project

CPI International brings this collection of Vietnam-made wooden doors to builders, designers, contractors and distributors. Choose from classic panel profiles, modern veneer patterns and glass designs for residential, hospitality and commercial interiors.

We work with our manufacturing partner to coordinate door styles, dimensions, materials, finishes and packaging around your project requirements.




Explore the collection. Share your specifications. Request a quote.

Products & craftsmanship

WOOD & ENGINEERED DOORS
Solid hardwood and engineered options, including oak, pine and alder designs.

PROJECT OPTIONS
Panel profiles, glass details, sizes, finishes and packaging can be coordinated with the factory. Confirm construction and performance requirements for each order.











Door Styles Index


1-PANEL BOLECTION MOULDING P.05


MODERN FULL-HEIGHT OFFSET 1-LITE P.13


MODERN ROMAN AR LITE REEDED GLASS P.21


MODERN ASYMMETRICA REEDED & PANEL FLUSH P.29


CLASSIC 2-PANEL RAISED PANEL PINE P.37


FULL-LITE FRENCH BOLECTION MOULDING P.07


ARCHITECTURAL LINEAR-LITE FLUSH P.15


MODERN ROMAN ARCH 4-LITE PLANKED P.23


MODERN HORIZONTAL SLAT P.31


CLASSIC 4-PANEL 100% SOLID ALDER P.39


CLASSIC 2-PANEL BOLECTION MOULDING P.09


MODERN CHEVR PATTERN FLUSH P.17


TRUE RADIUS ARCH 4-LITE PLANKED P.25


CLASSIC EQUAL PANEL SHAKER P.33


2-PANEL 1-LITE GLASS DOOR P.11


GEOMETRIC DIAMOND-MATCHED P.19


1-PANEL ARCH TOP INTERIOR SLAB DOOR P.27


CLASSIC EQUAL PANEL DOUBLE P.35

1-Panel Bolection Moulding Solid Interior Door

THE PROFILE:

Grand architectural single-panel slab defined by proud projecting bolection mouldings.

THE FINISH:

Dover White/ midnight iron/ Nordic Wheat Oak

THE INTEGRITY:

Dover White and Midnight Iron utilize high-density CARB P2/EPA TSCA Title VI certified MDF reinforced with an 8mm solid wood encapsulated perimeter. Nordic Wheat Oak is crafted from 100% solid FAS-grade North American White Oak throughout.







SPECIFICATIONS

DIMENSIONS:


Widths 24" | 28" | 30" | 32" | 36" × Heights 80" | 84" | 96"

THICKNESS:

Standard 1-3/8" (1-3/4" architectural option available)

CORE:

High-density engineered solid core (Optional fire-rated ratings available)













FULL-LITE FRENCH INTERIOR DOOR WITH BOLECTION MOULDING

THE PROFILE:

Expansive full-height architectural glass aperture encased in proud, projecting bolection mouldings that cast deep sculptural shadow lines

THE FINISH:

Dover White/ midnight iron/ Nordic Wheat Oak

THE INTEGRITY:

Dover White and Midnight Iron utilize high-density CARB P2/EPA TSCA Title VI certified MDF reinforced with an 8mm solid wood encapsulated perimeter. Nordic Wheat Oak is crafted from 100% solid FAS-grade North American White Oak throughout.



SPECIFICATIONS

DIMENSIONS:


Widths 24" | 28" | 30" | 32" | 36" × Heights 80" | 84" | 96"

THICKNESS:

Standard 1-3/8" (1-3/4" architectural option available)

CORE:

High-density engineered solid core (Optional fire-rated ratings available)













Classic 2-Panel Bolection Moulding Interior Door

THE PROFILE:

Timeless two-panel architectural layout framed by proud projecting bolection mouldings that cast deep sculptural shadow lines


THE FINISH:

Dover White/ midnight iron/ nordic wheat oak

THE INTEGRITY:

Dover White and Midnight Iron utilize high-density CARB P2/EPA TSCA Title VI certified MDF reinforced with an 8mm solid wood encapsulated perimeter. Nordic Wheat Oak is crafted from 100% solid FAS-grade North American White Oak throughout.







SPECIFICATIONS

DIMENSIONS:


Widths 24" | 28" | 30" | 32" | 36" × Heights 80" | 84" | 96"

THICKNESS:

Standard 1-3/8" (1-3/4" architectural option available)

CORE:

High-density engineered solid core (Optional fire-rated ratings available)













2-Panel 1-Lite Glass & Wood Interior Door

THE PROFILE:

Balanced architectural proportion pairing an upper tempered glass lite with a recessed lower solid panel.

THE FINISH:

Dover White/ midnight iron/ nordic wheat oak

THE INTEGRITY:

Dover White and Midnight Iron utilize high-density CARB P2/EPA TSCA Title VI certified MDF reinforced with an 8mm solid wood encapsulated perimeter. Nordic Wheat Oak is crafted from 100% solid FAS-grade North American White Oak throughout.







SPECIFICATIONS

DIMENSIONS:

Widths 24" | 28" | 30" | 32" | 36" × Heights 80" | 84" | 96"


THICKNESS:

Standard 1-3/8" (1-3/4" architectural option available)

CORE:

High-density engineered solid core (Optional fire-rated ratings available)













Modern Full-Height Offset 1-Lite Interior Slab Door

THE PROFILE:


Contemporary architectural flush slab defined by an asymmetric, floor-to-ceiling offset 1-lite glass reveal.

THE FINISH:

Available in two curated finishes: Nordic Wheat Oak (warm honey blonde) and Heritage Smoked Walnut (deep mocha espresso), sealed with a tactile, low-sheen ultra-matte topcoat.

THE INTEGRITY:

Engineered solid composite core with 8mm solid wood perimeter band.





SPECIFICATIONS

DIMENSIONS:

Widths 24" | 28" | 30" | 32" | 36" × Heights 80" | 84" | 96"

THICKNESS:


Standard 1-3/8" (1-3/4" architectural option available)

CORE:

High-density engineered solid core (Optional fire-rated ratings available)








Architectural Linear-Lite Flush Door In Nordic Wheat Oak

THE PROFILE:


Minimalist architectural flush slab featuring a precision vertical narrow linear-lite.


THE FINISH:

Nordic Wheat Oak—a calm, honeyed blonde tone sealed with a tactile, low-sheen ultra-matte protective topcoat.

THE INTEGRITY:

High-density engineered solid core certified to FSC® standards, CARB Phase 2, and EPA TSCA Title VI for low-VOC environments.







SPECIFICATIONS

DIMENSIONS:

Widths 24" | 28" | 30" | 32" | 36" × Heights 80" | 84" | 96"

THICKNESS:


Standard 1-3/8" (1-3/4" architectural option available)

CORE:

High-density engineered solid core (Optional fire-rated ratings available)









Modern Chevron Pattern Flush Interior Door In Nordic Wheat Oak

THE PROFILE:


Dynamic architectural flush slab featuring hand-matched chevron (V-pattern) oak veneers.

THE FINISH:

Nordic Wheat Oak—a calm, honeyed blonde tone sealed with a tactile, low-sheen ultra-matte protective topcoat.

THE INTEGRITY:

High-density engineered solid core certified to FSC® standards, CARB Phase 2, and EPA TSCA Title VI for low-VOC environments.



SPECIFICATIONS

DIMENSIONS:

Widths 24" | 28" | 30" | 32" | 36" × Heights 80" | 84" | 96"

THICKNESS:


Standard 1-3/8" (1-3/4" architectural option available)


CORE:

High-density engineered solid core (Optional fire-rated ratings available)









Geometric Diamond-Matched Oak Interior Slab Door

THE PROFILE:

Architectural statement slab door featuring a four-quadrant diamond bookmatched veneer pattern.

THE FINISH:

Nordic Wheat Oak—a calm, honeyed blonde tone sealed with a tactile, low-sheen ultra-matte protective topcoat.

THE INTEGRITY:

High-density engineered solid core certified to FSC® standards, CARB Phase 2, and EPA TSCA Title VI for low-VOC environments.



SPECIFICATIONS

DIMENSIONS:

Widths 24" | 28" | 30" | 32" | 36" × Heights 80" | 84" | 96"


THICKNESS:

Standard 1-3/8" (1-3/4" architectural option available)


CORE:

High-density engineered solid core (Optional fire-rated ratings available)









Modern Roman Arch 1-Lite Reeded Glass Interior Door In Nordic Wheat Oak

THE PROFILE:

Timeless semi-circular Roman arch framing an architectural vertical reeded glass lite.

THE FINISH:

Nordic Wheat Oak—a calm, honeyed blonde tone sealed with a tactile, low-sheen ultra-matte protective topcoat.

THE INTEGRITY:

High-density engineered solid core certified to FSC® standards, CARB Phase 2, and EPA TSCA Title VI for low-VOC environments.



SPECIFICATIONS

DIMENSIONS:


Widths 24" | 28" | 30" | 32" | 36" × Heights 80" | 84" | 96"


THICKNESS:


Standard 1-3/8" (1-3/4" architectural option available)


CORE:

High-density engineered solid core (Optional fire-rated ratings available)









Modern Roman Arch 4-Lite Planked Interior Door In Nordic Wheat Oak

THE PROFILE:

Graceful semi-circular Roman arch pairing an upper 4-lite architectural glazed grid with a grooved vertical planked lower panel.

THE FINISH:

Nordic Wheat Oak—a calm, honeyed blonde tone sealed with a tactile, low-sheen ultra-matte protective topcoat.

THE INTEGRITY:

High-density engineered solid core certified to FSC® standards, CARB Phase 2, and EPA TSCA Title VI for low-VOC environments.



SPECIFICATIONS

DIMENSIONS:

Widths 24" | 28" | 30" | 32" | 36" × Heights 80" | 84" | 96"

THICKNESS:


Standard 1-3/8" (1-3/4" architectural option available)

CORE:

High-density engineered solid core (Optional fire-rated ratings available)









True Radius Arch 4-Lite Planked Interior Door In Nordic Wheat Oak

THE PROFILE:


Authentic semi-circular true radius arch pairing a 4-lite architectural glazed upper with a vertical planked lower panel.

THE FINISH:

Nordic Wheat Oak—a calm, honeyed blonde tone sealed with a tactile, low-sheen ultra-matte protective topcoat.

THE INTEGRITY:

High-density engineered solid core certified to FSC® standards, CARB Phase 2, and EPA TSCA Title VI for low-VOC environments.



SPECIFICATIONS

DIMENSIONS:

Widths 24" | 28" | 30" | 32" | 36" × Heights 80" | 84" | 96"

THICKNESS:

Standard 1-3/8" (1-3/4" architectural option available)

CORE:

High-density engineered solid core (Optional fire-rated ratings available)









1-Panel Arch Top Interior Slab Door In Nordic Wheat Oak

THE PROFILE:

Gracefully sculpted arch top framing a recessed single panel.

THE FINISH:

Nordic Wheat Oak—a calm, honeyed blonde tone sealed with a tactile, low-sheen ultra-matte protective topcoat.

THE INTEGRITY:

High-density engineered solid core certified to FSC® standards, CARB Phase 2, and EPA TSCA Title VI for low-VOC environments.



SPECIFICATIONS

DIMENSIONS:

Widths 24" | 28" | 30" | 32" | 36" × Heights 80" | 84" | 96"


THICKNESS:


Standard 1-3/8" (1-3/4" architectural option available)

CORE:

High-density engineered solid core (Optional fire-rated ratings available)









Modern Asymmetrical Reeded & Panel Flush Interior Door In Nordic Oak

THE PROFILE:

Contemporary architectural flush slab pairing vertical CNC reeded texture with a smooth asymmetric panel.

THE FINISH:

Nordic Wheat Oak—a calm, honeyed blonde tone sealed with a tactile, low-sheen ultra-matte protective topcoat.

THE INTEGRITY:

High-density engineered solid core certified to FSC® standards, CARB Phase 2, and EPA TSCA Title VI for low-VOC environments.



SPECIFICATIONS

DIMENSIONS:

Widths 24" | 28" | 30" | 32" | 36" × Heights 80" | 84" | 96"


THICKNESS:

Standard 1-3/8" (1-3/4" architectural option available)

CORE:

High-density engineered solid core (Optional fire-rated ratings available)









Modern Horizontal Slat White Oak Interior Door In Nordic Wheat Oak

THE PROFILE:


Contemporary architectural flush slab defined by precision horizontal slat reveals.

THE FINISH:

Nordic Wheat Oak—a calm, honeyed blonde tone sealed with a tactile, low-sheen ultra-matte protective topcoat.

THE INTEGRITY:

Acoustic solid-core construction complying with FSC® guidelines, CARB Phase 2, and EPA TSCA Title VI standards for low-VOC interiors.







SPECIFICATIONS

DIMENSIONS:

Widths 24" | 28" | 30" | 32" | 36" × Heights 80" | 84" | 96"

THICKNESS:

Standard 1-3/8" (1-3/4" architectural option available)

CORE:

High-density engineered solid core (Optional fire-rated ratings available)









Classic Equal 3-Panel Shaker Interior Slab Door In Zurich White

THE PROFILE:

Timeless architectural symmetry featuring three equal-height recessed flat panels with sharp 90-degree Shaker sticking.

THE FINISH:

Sherwin-Williams SW 7626 Zurich White—a luminous, warm architectural off-white sealed with a durable, multi-coat industrial PU satin system.

THE INTEGRITY:

High-density CARB Phase 2 and EPA TSCA Title VI certified core, reinforced with an 8mm solid wood encapsulated perimeter for superior stability and hardware retention.



SPECIFICATIONS

DIMENSIONS:

Widths 24" | 28" | 30" | 32" | 36" × Heights 80" | 84" | 96"

THICKNESS:

Standard 1-3/8" (1-3/4" architectural option available)


CORE:

High-density engineered solid core (Optional fire-rated ratings available)









Classic Equal 3-Panel Shaker Double Interior Doors In Zurich White

THE PROFILE:


Grand double-door architectural threshold featuring symmetrical paired slabs with three equal-height recessed flat panels and sharp 90-degree Shaker sticking.

THE FINISH:

Sherwin-Williams SW 7626 Zurich White—a luminous, warm architectural off-white sealed with a durable, multi-coat industrial PU satin system.

THE INTEGRITY:

High-density CARB Phase 2 and EPA TSCA Title VI certified core, reinforced with an 8mm solid wood encapsulated perimeter for superior stability and hardware retention.





SPECIFICATIONS

DIMENSIONS:

48" (2×24") | 56" (2×28") | 60" (2×30") | 64" (2×32") | 72" (2×36")

THICKNESS:

Standard 1-3/8" (1-3/4" architectural option available)

CORE:

High-density engineered solid core (Optional fire-rated ratings available)



Classic 2-Panel Raised Panel Solid Pine Shaker Interior Door (Unfinished)

THE PROFILE:


Timeless architectural proportion pairing clean Shaker perimeter stiles with classical raised bevel panels.


THE FINISH:

100% authentic solid pine throughout—zero composite wood, zero MDF, and zero engineered fills. Kiln-dried, precision-sanded, and ready for custom stain, oil, or paint.

THE INTEGRITY:

Responsibly harvested solid timber complying with FSC® guidelines and EPA TSCA Title VI / CARB Phase 2 standards for naturally pure indoor air quality.







SPECIFICATIONS

DIMENSIONS:

Widths 24" | 28" | 30" | 32" | 36" × Heights 80" | 84" | 96"

THICKNESS:

Standard 1-3/8" (1-3/4" architectural option available)

KEY FEATURES:

- 100% Solid Natural Wood: Genuine solid pine lumber throughout stiles, rails, and panels—never veneered over composite core.
- Classical Raised Panel Detailing: Dimensional raised center panels precision-beveled for crisp architectural shadow lines.
- Kiln-Dried Stability: Scientifically conditioned and moisture-controlled lumber to ensure lasting flatness and dimensional stability.
- Finishing-Ready Raw Surface: Evenly sanded raw timber offering deep, streak-free stain absorption and superior paint adherence.
- Traditional Mortise Joinery: Heavy-duty solid wood construction designed to endure decades of residential and hospitality traffic.





Classic 4-Panel 100% Solid Alder Interior Slab Door (Unfinished)

THE PROFILE:


Balanced four-panel architectural proportion framing recessed fields with crisp sticking.

THE FINISH:

100% authentic solid Alder throughout—zero composite wood, zero MDF, and zero engineered fills. Kiln-dried, precision-sanded, and ready for custom stain, clear coat, or paint.

THE INTEGRITY:

Responsibly harvested hardwood compliant with FSC® guidelines and EPA TSCA Title VI / CARB Phase 2 standards for naturally pure indoor air quality



SPECIFICATIONS

DIMENSIONS:

Widths 24" | 28" | 30" | 32" | 36" × Heights 80" | 84" | 96"


THICKNESS:

Standard 1-3/8" (1-3/4" architectural option available)

KEY FEATURES:

- 100% Solid Natural Alder: Genuine solid hardwood lumber across stiles, rails, and panels—never veneered over composite core materials.
- Classical 4-Panel Geometry: Harmonious vertical and horizontal division creating balanced sightlines and crisp shadow relief.
- Kiln-Dried Hardwood Stability: Scientifically conditioned and moisture-stabilized to ensure lasting flatness and warp resistance.
- Finishing-Ready Raw Surface: Evenly sanded raw timber offering uniform, blotch-resistant stain absorption and superior paint adherence.
- Heavy-Duty Joinery: Traditional precision-engineered joinery built to withstand decades of residential and hospitality usage.





Built around your brief



Specify the door profile, wood species or core, dimensions, glass, finish and hardware preparation. Pre-hung units and knock-down packaging can be discussed with the manufacturing partner for your project.

Share your drawings, quantities and delivery destination with CPI International to develop a project quotation.

TAILORED


SIZES | MATERIALS | COLORS





CONTACT CPI

Let's talk doors



Share your door styles, quantities and delivery destination to request a project quote.

EMAIL

contact@cpiintl.com

WEBSITE

cpiintl.com